

Material Safety Data Sheet / 01

A317 Firm Grade Closed Cell Expanded EPDM



Certificate No. 11738-EMS-001
ISO 9001:2015 ISO 14001:2015

1 - Identification of Substance / Preparation Product Code:

Product Code	A317 Firm Grade Closed Cell Expanded EPDM
Manufacturer/Supplier	Advanced Seals & Gaskets Ltd
Address	Polymer Works
Phone Number	+44 (0) 1384 252555
Fax Number	+44 (0) 1384 252373

2 - Composition / Information on Ingredients:

Composition	SBR synthetic rubber with an EPDM base
Impurities involving a hazard	None according to our knowledge

3 - Hazards Identification:

Labeling for dangerous product	None
Risks for health and environment	No detrimental effect to the best of our knowledge

4 - First Aid Measures:

First Aid – Eyes	Not applicable in normal conditions of use
First Aid – Skin	Not applicable in normal conditions of use
First Aid – Ingestion	Not applicable in normal conditions of use
First Aid – Inhalation	Not applicable

5 - Fire Fighting Measures:

Extinguishing media to use	Water, powder, CO2 foam
Extinguishing media NOT to use	None
Combustion Products	The combustion will generate a thick black smoke containing dangerous burnt products : hydrocarbon, aldehyde, spirits. In case of fire, CO, CO2 and SO2 are likely to be released.
Protection of Fire Fighters - Adapted individual protection equipment:	Autonomous breathing system, helmet, protection glasses, protection clothing, gloves, fire-resistant boots.

6 - Accidental Release Measures:

Personal Precautions	Not applicable
Environmental Precautions	Not applicable
Cleaning Up Methods	Not applicable

7 - Handling and Storage:

Handling	No particular action
Storage	Store in a well ventilated place at room temperature
Storage - packaging materials:	None to be avoided according to our knowledge

8 - Exposure Controls / Personal Protection:

Respiratory Protection	None necessary
Hand Protection	None necessary
Eye Protection	None necessary
Skin and Body Protection	None necessary
Hygiene Measures	None necessary

Material Safety Data Sheet / 02

A317 Firm Grade Closed Cell Expanded EPDM



8320
Certificate No. 11738-EMS-001
ISO 9001:2015 ISO 14001:2015

9 - Physical and Chemical Properties:

Physical State	solid, flexible, black, with characteristic smell
pH	Not applicable
Specific temperatures	Not applicable
Flash point	Not applicable
Vapour Pressure	Not applicable
Coefficient of partition	Not applicable
Solubility	Insoluble in water
Relative Density @ 20°C	0.110 - 0.160 g/cm ³

10 - Stability and Reactivity:

Products to avoid	Not applicable
Conditions to avoid	Not applicable
Decomposition products	None in normal use

11 - Toxicological Information:

Severe toxicity - LC50/LD50	Not applicable
Continuous exposure	In normal use, no noxious effects have been reported

12 - Ecological Information:

Persistence / Degradability	Stable product
-----------------------------	----------------

13 - Disposal Considerations:

Recycling, burning, storage in authorized dump - Care for local regulations	
---	--

14 - Transport Information:

ADR/RID - Class	Product not subject to regulation
IMDG - Class	Product not subject to regulation
IATA - Class	Product not subject to regulation

15 - Regulatory Information:

Labelling	Product not subject to labelling
-----------	----------------------------------

16 - Other Information:

None	
------	--

Change Control Date	Change
26/07/2013	Created



The information in this data sheet is strictly confidential and is supplied on the understanding that it will only be used in connection with matters relating to Health and Safety. The information is given in good faith and is to the best of our knowledge true and accurate. However, since the conditions under which our products may be used are beyond our control, recommendations are made without warranty or guarantee. This statement does not affect the statutory rights of a customer. We do not give any guarantee that additional security measures may be required under particular or exceptional circumstances. It is the responsibility of the user to observe national or local safety regulations. In no case can we accept responsibility for a failure to observe such regulations. Freedom from patent rights must not be assumed. We recommend that you examine any material you select to ensure its suitability for your application. Tolerance(s) applied in accordance with ASG specification No WI007 (<https://bit.ly/3nKm6Hj>) unless otherwise stated. Our standard terms and conditions of trading (<https://bit.ly/3b3mThw>) apply at all times.

