

**COSHH Assessment / 01**  
**COSHH TEMPLATE - DO NOT AMEND OR DELETE**  
**- DUPLICATE as of 2021-11-25 12:32: 04**



Certificate No. 11738-EMS-001  
ISO 9001:2015 ISO 14001:2015

**Nature of use**

**How is the Substance to be Used/Applied**

**MSDS Sheet Ref**

**Hazard Identification**

<b>Toxic</b>	<b>Gas Under Pressure</b>	<b>Caution</b>
Yes/No	Yes/No	Yes/No
<b>Flammable</b>	<b>Explosive</b>	<b>Dangerous to the Environment</b>
Yes/No	Yes/No	Yes/No
<b>Oxidising</b>	<b>Health Hazard</b>	<b>Corrosive</b>
Yes/No	Yes/No	Yes/No

**Exposure**

Degree	
Duration	
Quantities	

**Engineering Controls**

Can the Process be Isolated?	Yes/No
Can the Process be Enclosed?	Yes/No
Can Ventilation/Extraction be Used?	Yes/No

**Hazard Identification**

Is there a max exposure limit?	Yes/No
Is there an occupation/exposure standard?	Yes/No
Is there a short term exposure limit?	Yes/No
Irritant to the eyes?	Yes/No
Hazardous by ingestion?	Yes/No
Hazardous by absorption?	Yes/No
Irritant to the skin?	Yes/No

**If any of the following answers are yes, hyperlinks provide required information.**

Is manufacturer' s hazard information sheet available and included?	Yes/No	<a href="http://www.">http://www.</a>
Will employees be given information concerning hazard?	Yes/No	
Will employees be given specific training?	Yes/No	

**COSHH Assessment / 02**  
**COSHH TEMPLATE - DO NOT AMEND OR DELETE**  
**- DUPLICATE as of 2021-11-25 12:32: 04**



Certificate No. 11738-EMS-001  
ISO 9001:2015 ISO 14001:2015

Will exposure monitoring and/or control measures be required ?	Yes/No	
Will health surveillance be necessary?	Yes/No	
Does substance need to be disposed of by an Authorised Waste Disposal Contractor?	Yes/No	
Have storage requirements for the substance been provided or arranged with site?	Yes/No	

**PPE requirments**

Face Protection	Yes/No
Gloves	Yes/No
Boots	Yes/No
Coveralls	Yes/No

**Additional Notes**

First Aid Measures	Wash copiously with water. If inhaled, induce vomitting
Accidental release measures	Prevent access to water courses
Other precautions / action required	

**Change Control**

24/11/2021	Created
NAME	Auditor
DATE	Audited



The above figures are average values.  
We recommend that you examine any material you select to ensure its suitability for your application.  
Tolerance(s) applied in accordance with ASG specification No WI007 (<https://bit.ly/3nKm6Hj>) unless otherwise stated.  
Our standard terms and conditions of trading (<https://bit.ly/3b3mThw>) apply at all times.

